GATE | PSUs



ELECTRONICS & COMMUNICATION ENGINEERING

Control Systems

Text Book : Theory with worked out Examples and Practice Questions



HYDERABAD | AHMEDABAD | DELHI | BHOPAL | PUNE | BHUBANESWAR | BANGALORE | LUCKNOW PATNA | CHENNAI | VISAKHAPATNAM | VIJAYAWADA | TIRUPATHI | KOLKATA **Basics of Control Systems**

(Solutions for Text Book Practice Questions)

01. Ans: (c) Open Loop T.F = $\frac{\text{Closed Loop T.F}}{1 - \text{Closed Loop T.F}}$ **Sol:** $2\frac{d^2y(t)}{dt^2} + 3\frac{dy(t)}{dt} + 4y(t) = r(t) + 2r(t-1)$ $=\frac{\overline{(s+1)^2}}{1-\frac{1}{(s+1)^2}}$ Apply LT on both sides $2s^{2} Y(s)+3sY(s)+4Y(s) = R(s)+2e^{-s}R(s)$ $Y(s)(2s^2 + 3s+4) = R(s)(1+2e^{-s})$ $=\frac{1}{s^2+2s}$ $\frac{Y(s)}{R(s)} = \frac{1 + 2e^{-s}}{2s^2 + 3s + 4}$ 04. Ans: (a) Sol: G changes by 10% 02. Ans: (b) **Sol:** I.R = $2.e^{-2t}u(t)$ $\Rightarrow \frac{\Delta G}{C} \times 100 = 10\%$ Output response $c(t) = (1-e^{-2t}) u(t)$ $C_1 = 10\%$ Input response r(t) = ?[: open loop] whose sensitivity is 100%] $T.F = \frac{C(s)}{R(s)}$ %G change = 10% $\frac{\% \text{ of change in } M}{\% \text{ of change in } G} = \frac{1}{1 + GH}$ $T.F = L(I.R) = \frac{2}{s+2}$ % of change in M = $\frac{10\%}{1+(10)1} = 1\%$ $R(s) = \frac{C(s)}{T.F} = \frac{\frac{1}{s} - \frac{1}{s+2}}{\frac{2}{s}} = \frac{1}{s}$ % change in C₂ by 1% Since $R(s) = \frac{1}{s}$ 05. Sol: M = C/Rr(t) = u(t) $\frac{C}{R} = M = \frac{GK}{1+GH}$ 03. Ans: (b) $S_{K}^{M} = \frac{\partial M}{\partial K} \times \frac{K}{M} = 1$ Sol: Unit impulse response of unit-feedback control system is given [:K is not in the loop \Rightarrow sensitivity is $c(t) = t.e^{-t}$ T.F = L(I.R)100%] $S_{H}^{M} = \frac{\partial M}{\partial H} \times \frac{H}{M} = \frac{\partial}{\partial H} \left(\frac{GK}{1+GH}\right) \frac{H}{M}$ $=\frac{1}{(s+1)^2}$ ACE Engincering Publications Hyderabad • Delhi • Bhopal • Pune • Bhubaneswar • Lucknow • Patna • Bengaluru • Chennai • Vijayawada • Vizag • Tirupati • Kolkata • Ahmedabad

Chapter

Postal Coaching Solutions



3



Signal Flow Graph & Block Diagram

01. Ans: (d) Sol: No. of loops = 3 Loop1: $-G_1G_3G_4H_1H_2H_3$ Loop2: $-G_3G_4H_1H_2$ Loop3: $-G_4H_1$ No. of Forward paths = 3 Forward Path1: $G_1G_3G_4$ Forward Path 2: $G_2G_3G_4$ Forward Path 3: G_2G_4 $= \frac{G_1G_3G_4 + G_2G_3G_4 + G_2G_4}{1 + G_1G_3G_4H_1H_2H_3 + G_3G_4H_1H_2 + G_4H_1}$ 02. Ans: (a)

Sol: Number of forward paths = 2 Number of loops = 3

$$\frac{Y(s)}{R(s)} = \frac{\frac{1}{s} \cdot \frac{1}{s} \cdot \frac{1}{s} [1-0] + \frac{1}{s}}{1 - \left[\frac{1}{s} \times (-1)\left(\frac{1}{s}\right)(-1) + \frac{1}{s} \cdot \frac{1}{s}(-1) + \left(\frac{1}{s} \cdot \frac{1}{s}(-1)\right)\right]}$$
$$= \frac{\frac{1}{s^3} + \frac{1}{s}}{1 - \left[\frac{1}{s^2} - \frac{1}{s^2} - \frac{1}{s^2}\right]} = \frac{\frac{1+s^2}{s^3}}{1 + \frac{1}{s^2}} = \frac{\frac{1+s^2}{s^3}}{\frac{1+s^2}{s^2}}$$
$$= \frac{1+s^2}{s} \times \frac{1}{s^2+1} = \frac{1}{s}$$

03.

Sol: Number of forward paths = 2 Number of loops = 5, Two non touching loops = 4

$$TF = \frac{24[1 - (-0.5)] + 10[1 - (-3)]}{1 - [-24 - 3 - 4 + (5 \times 2 \times (-1) + (-0.5))] + [30 + 1.5 + 2] + \left(\left(\frac{-1}{2}\right) \times (-24)\right)}$$
$$= \frac{76}{88} = \frac{19}{22}$$

04.

Sol: Number of forward paths = 2 Number of loops = 5 $T.F = \frac{G_1G_2G_3 + G_1G_4}{1 + G_2G_3H_2 + G_1G_2H_1 + G_1G_2G_3 + G_4H_2 + G_1G_4}$

05. Ans: (c)

Sol: From the network

From SFG

$$V_o(s) = x I(s)$$
(3)
 $I(s) = \frac{1}{R} V_i(s) + y V_o(s)$ (4)

From equ(1) and (3)

$$x = \frac{1}{sC}$$

y = -

From equ(2) and (4)

ACE Engineering Publications



ACE Engineering Publications		6	Control Systems
Non touching	loops = 4		
Loop gains	\rightarrow G ₂ H ₂ G ₆ H ₆		
	\rightarrow G ₂ H ₂ G ₇ H ₇		
	\rightarrow G ₆ H ₆ G ₇ H ₇		
	\rightarrow G ₂ H ₂ G ₃ H ₃		
Transfer funct	ion =		
$G_1G_2G_3G_4(1+\epsilon)$	$G_6H_6 + G_7H_7 + G_5G_6G_7G_8$ (1 + G_H + G_H)		
$\overline{1 + G_2H_2 + G_3H_3}$ G_2H_2G	$\frac{(1+O_2H_2+O_3H_3)}{I_3+G_6H_6+G_7H_7+G_2H_2G_6H_6+}$ $_7H_7+G_3H_3G_6H_6+G_3H_3G_7H_7$	-	
	Ct ENGINE		

Time Response Analysis

Chapter

01. Ans: (a) $T.F = \frac{V_o(s)}{V_o(s)} = \frac{1}{RCs + LCs^2 + 1}$ **Sol:** $\frac{C(s)}{R(s)} = \frac{1}{1+sT}$, $R(s) = \frac{8}{s}$ $=\frac{\frac{1}{LC}}{s^2 + \frac{R}{L}s + \frac{1}{LC}}$ $C(s) = \frac{8}{s(1+sT)} \Longrightarrow c(t) = 8\left(1 - e^{-t/T}\right)$ $3.6 = 8 \left(1 - e^{\frac{-0.32}{T}} \right)$ $s^{2} + \frac{R}{L}s + \frac{1}{LC} = 0$ $s^2 + 2\xi\omega_n s + \omega_n^2 = 0$ $0.45 = 1 - e^{\frac{-0.32}{T}}$ $EEFING \omega_n = \frac{1}{\sqrt{LC}} \quad 2\xi\omega_n = \frac{R}{L}$ $0.55 = e^{\frac{-0.32}{T}}$ $-0.59 = \frac{-0.32}{T}$ $\xi = \frac{R}{2} \sqrt{\frac{C}{L}}$ T = 0.535 sec $\xi = \frac{10}{2} \sqrt{\frac{10 \times 10^{-6}}{1 \times 10^{-3}}} = 0.5$ 02. Ans: (c) $M.P = e^{-\frac{\xi\pi}{\sqrt{1-\xi^2}}}$ **Sol:** $\cos \phi = \xi$ $\cos 60 = 0.5$ $\cos 45 = 0.707$ $= 16.3\% \approx 16\%$ Poles left side $0.5 \le \xi \le 0.707$ Poles right side $-0.707 \le \xi \le -0.5$ 04. Ans: (b) Sol: TF = $\frac{8/s(s+2)}{1-(\frac{-8 \text{ as}}{s(s+2)}-\frac{8}{s(s+2)})}$ Since $\therefore 0.5 \le \left| \xi \right| \le 0.707$ $3 \text{ rad/s} \le \omega_n \le 5 \text{ rad/s}$ 03. Ans: (c) $=\frac{8}{s(s+2)+8as+8}$ Sol: For R-L-C circuit: $T.F = \frac{V_o(s)}{V(s)}$ $=\frac{8}{s^2+2s+8as+8}$ $V_{o}(s) = \frac{1}{Cs}I(s)$ $=\frac{8}{s^2+(2+8a)s+8}$ $=\frac{1}{\mathrm{Cs}}\frac{\mathrm{V_{i}(s)}}{\mathrm{R}+\mathrm{Ls}+\frac{1}{\mathrm{Ts}}}$ $\omega_n^2 = 8 \implies \omega_n = 2 \sqrt{2}$ $2\xi\omega_{n} = 2 + 8a$ ACE Engineering Publications Hyderabad • Delhi • Bhopal • Pune • Bhubaneswar • Lucknow • Patna • Bengaluru • Chennai • Vijayawada • Vizag • Tirupati • Kolkata • Ahmedabad



$$\xi = \frac{1+4a}{2\sqrt{2}}$$
$$\frac{1}{\sqrt{2}} = \frac{1+4a}{2\sqrt{2}} \implies a = 0.25$$

05. Ans: 4 sec

Sol: T.F =
$$\frac{100}{(s+1)(s+100)}$$

= $\frac{100}{s^2 + 101s + 100}$
 $\omega_n^2 = 100$
 $\omega_n = 10$
 $2\xi\omega_n = 101$
 $\xi = \frac{101}{20}$

 $\xi > 1 \rightarrow$ system is over damped i.e., roots are real & unequal.

Using dominate pole concept,

T.F =
$$\frac{100}{100(s+1)} = \frac{1}{s+1}$$
, Here $\tau = 1$ sec

 \therefore Setting time for 2% criterion = 4τ

 $=4 \sec$

Since

ACE Engineering Publications Hyderabad • Delhi • Bhopal • Pune • Bhubaneswar • Lucknow • Patna • Bengaluru • Chennai • Vijayawada • Vizag • Tirupati • Kolkata • Ahmedabad

06.

Sol:
$$M_p = \frac{C(t_p) - C(\infty)}{C(\infty)}$$

= $\frac{1.254 - 1.04}{1.04} = 0.2$
 $\xi = \sqrt{\frac{(\ln M_p)^2}{(\ln M_p)^2 + \pi^2}}$
 $M_p = 0.2$; $\xi = 0.46$

07. Ans: (d)

Sol: Given data: $\omega_n = 2$, $\zeta = 0.5$

Steady state gain = 1OLTF = $\frac{K_1}{s^2 + as + 2}$ and $H(s) = K_2$ $CLTF = \frac{G(s)}{1 + G(s)}$ $\frac{C(s)}{R(s)} = \frac{K_1}{s^2 + as + 2 + K_1 K_2}$ DC or steady state gain from the TF $\frac{K_1}{2+K_1K_2} = 1$ $K_1(1 - K_2) = 2$ (1) CE is s² + as + 2 + K₁K₂ = 0 $\omega_n = \sqrt{2 + K_1 K_2} = 2$ $4 = (2 + K_1 K_2)$ $K_1K_2 = 2$(2) Solving equations (1) & (2) we get $K_1 = 4$, $K_2 = 0.5$ $2\zeta \omega_n = a$ $2 \times \frac{1}{2} \times 2 = a$ a = 2

08. Ans: A – T, B – S, C- P, D – R, E – Q Sol:

- (A) If the poles are real & left side of splane, the step response approaches a steady state value without oscillations.
- (B) If the poles are complex & left side of splane, the step response approaches a steady state value with the damped oscillations.
- (C) If poles are non-repeated on the $j\omega$ axis, the step response will have fixed amplitude oscillations.

	ACE Engineering Publications	9	Postal Coaching Solutions
	 (D) If the poles are complex & right side o s-plane, response goes to '∞' with damped oscillations. 	f n	Parabolic $\Rightarrow k_a = 10$ $e_{ss} = \frac{1}{10} = 0.1$
	(E) If the poles are real & right side of s plane, the step response goes to '∞ without any oscillations.	2	 11. Sol: G(s) = 10/s² (marginally stable system) ∴ Error can't be determined
09.	Ans: (c)		12.
Sol:	If $R \uparrow damping \uparrow$		Sol: $e_{ss} = \frac{1}{11}$, $R(s) = \frac{1}{2}$
	$\Rightarrow \xi = \frac{R}{2} \sqrt{\frac{C}{L}}$		$e_{ss} = \frac{A}{1+k_{s}} = \frac{1}{1+k_{s}} = \frac{1}{11} = \frac{1}{1+10}$
	(i) If R↑, steady state voltage across C will be reduced (wrong)		$k_p = \underset{s \to 0}{\text{Lt}} G(s)$
	(Since steady state value does no	t	10 = Lt G(s)
	depend on ξ)		k = 10
	If $\xi \uparrow$, C (∞) = remain same		
	(ii) If $\xi \uparrow \alpha \downarrow (\alpha - \alpha \sqrt{1 - \xi^2})$		$R(s) = \frac{1}{s^2}$ (ramp)
	(ii) If $\xi \downarrow$, $t_s \uparrow \Rightarrow 3^{rd}$		$e_{ss} = \frac{A}{k_{y}} = \frac{1}{k_{y}} = \frac{1}{10}$
	Statement is false		(System is increased by 1)
	(iv) If $\xi = 0$		$\Rightarrow e_{ss} = 0.1$
	\Rightarrow 2 and 4 are correct		13. Ans: (a)
10. Sol:	(i) Unstable system		Sol: T(s) = $\frac{(s-2)}{(s-1)(s+2)^2}$ (unstable system)
	\therefore error = ∞		14. Ans: (b)
	(ii) $G(s) = \frac{10(s+1)}{s}$		Sol: Given data: $r(t) = 400tu(t) rad/sec$
	$(1) O(3) - \frac{1}{s^2}$		Steady state error $=10^{\circ}$
	Step \rightarrow R (s) = $\frac{1}{s}$		i.e., $e_{ss} = \frac{\pi}{180^\circ} (10^\circ)$ radians
	$k_p = \infty$		$G(s) = \frac{20K}{r(1+0.1s)}$ and $H(s) = 1$
	$e_{ss} = \frac{A}{1+k} = \frac{1}{1+\infty} = 0$		$S(1 + 0.1S)$ $r(t) = 400 t_0 (t) \implies 400 t_0^2$
ACE E	$\mathbf{r} \neq \mathbf{k}_{p}$ $\mathbf{r} \neq \infty$ ngincering Publications Hyderabad • Delhi • Bhopal • Pune • Bhubaneswa	r • Luckno	1(1) — 4001u(1) → 400/S ow • Patna • Bengaluru • Chennai • Vijayawada • Vizag • Tirupati • Kolkata • Ahmedabad

ACE Engineering Publications



	ACEE Engineering Publications	11	Postal Coaching Solutions
18. Sol: 19.	Ans: (c) $f(t) = \frac{Md^{2}x}{dt^{2}} + B\frac{dx}{dt} + Kx(t)$ Applying Laplace transform on both sides with zero initial conditions $F(s) = Ms^{2}X(s) + BsX(s) + KX(s)$ $\frac{X(s)}{F(s)} = \frac{1}{Ms^{2} + Bs + K}$ Characteristic equation is $Ms^{2} + Bs + K = 0$ $s^{2} + \frac{B}{M}s + \frac{K}{M} = 0$ Compare with $s^{2} + 2\zeta \omega_{n}s + \omega_{n}^{2} = 0$ $2\zeta\omega_{n} = \frac{B}{M}$ $\xi = \frac{B}{2\sqrt{MK}}$ $\omega_{n} = \sqrt{\frac{K}{M}}$ Time constant $T = \frac{1}{\zeta\omega_{n}}$ $= \frac{1}{B} \times 2M$ $T = \frac{2M}{B}$ Hence, statements 2 & 3 are correct Ans: (c)	s, ER//	$k_{p} = \lim_{s \to 0} \frac{1}{s(1+s)(s+2)}$ $= \infty$ Steady state error due to step input $= \frac{1}{1+k_{p}} = 0$ 21. Sol: Open loop T/F G(s) = $\frac{A}{S(S+P)}$ C.L. T/F = $\frac{A}{S^{2}+SP+A}$ $\omega_{n} = \sqrt{A}$ Setting time = $4/\xi\omega_{n} = 4$ $2\xi\omega_{n} = P$ $\therefore \frac{4}{P/2} = 4$ $\xi\omega_{n} = P/2$ $\Rightarrow P = \frac{8}{4} = 2$ $e^{\frac{-\pi\xi}{\sqrt{1+\xi^{2}}}} = 0.1 \Rightarrow \frac{\pi\xi}{\sqrt{1-\xi^{2}}} = \ell n 10$ $= 2.3$ $\Rightarrow \frac{\xi^{2}}{1-\xi^{2}} = 0.5373$ $\Rightarrow 1.5373 \xi^{2} = 0.5373$ $\xi = 0.59$
Sol:	type 1 system has a infinite positional erro constant.	r	$\xi \omega_n = 1$ $\Rightarrow \omega_n = 1.694 \Rightarrow A = \omega_n^2 = 2.87$
20. Sol:	Ans: (a) Given G(s) = $\frac{1}{s(1+s)(s+2)}$, H(s) = 1. It is type-I system Positional error constant $k_p = \underset{s \to 0}{\text{Lt}} G(s) H(s)$		22. Sol: $\overset{R(s)}{\longrightarrow} \underbrace{10}_{S+0.8+10K} \underbrace{\frac{1}{S}}_{S} \underbrace{C(s)}_{S}$
ACE F	ngineering Publications Hyderabad • Delhi • Bhopal • Pune • Bhubaneswa	r • Luckno	ow • Patna • Bengaluru • Chennai • Vijayawada • Vizag • Tirupati • Kolkata • Ahmedabad

Engineering Publications	12	Control Systems
$\frac{C(s)}{R(s)} = \frac{10}{s(s+0.8+10K)+10}$		$t_p = \frac{\pi}{\omega_d} = 1.1 \text{sec}$
$=\frac{10}{s^2 + s(0.8 + 10K)l0}$		%Mp = $e^{-\frac{\pi\xi}{\sqrt{1-\xi^2}}} = 0.163 \times 100 = 16.3\%$
$\omega_n = \sqrt{10} \qquad 2\xi \omega_n = 0.8 + 10 \text{ K}$		t_{s} (for 2%) = $\frac{4}{\xi \omega_{n}} = \frac{4}{0.5 \times \sqrt{10}} = 2.53 \text{ sec}$
$\Rightarrow 2 \times \frac{1}{2} \times \sqrt{10} = 0.8 + 10 \mathrm{K}$		
\Rightarrow K = 0.236		
$t_{\rm r} = \frac{\pi - \phi}{\omega_{\rm d}} = \frac{\pi - \cos^{-1}(\xi)}{\omega_{\rm n}\sqrt{1 - \xi^2}}$		
$= \frac{\pi - \pi/3}{2.88} = 0.74 \sec(100)$	EDI	
Ct ENGINE V		



Stability

01. Sol: CE = s	$s^{5} + 4s^{4} +$	$+8s^3+8$	$3s^2 + 7s + 4 = 0$	02. Sol: (i) s ⁵ +	$s^{4} + s^{3} +$	$-s^{2} + s$	+1 = 0		
s ⁵	1	8	7	_	$+s^{5}$ $+s^{4}$	1	1 1 1 1		
s ⁴	4(1)	8(2)	4(1)		$+s^3$	0(2)	0(1) 0		
s ³	6(1)	6(1)	0		$+s^{2}$ (1) - s ¹	$\frac{1}{2}$ - 3	1 0		
s ²	1	1	$0 \rightarrow \text{Row of AE}$	INGAE	$(2) + s^0$ $(2) = s^4 + s^4$	1 $x^{2} + 1 =$	= 0		
s^1	0(2)	0	$0 \rightarrow \text{Row of zero}$	$\frac{d(A)}{ds}$	$\frac{E}{S} = 4s^3$	+2s =	= 0		
s ⁰	1		Y	$\Rightarrow 2$	$2s^3 + s =$	0			
No. of No. of Below No. of No. of No. of	AE roots sign chan AE = 0 RHP = 0 LHP = 0 joop = 2	= 2 ges	No. of CE roots = 5 No. of sign changes in 1 st column = 0 \therefore No .of RHP = 0 No. of j ω p = 2 \Rightarrow No .of LHP = 3	AH No. of sign AE = 2 No. of AE ro No .of RHP No .of LHP No. of j ω p =	E changes I boots = 4 = 2 = 2 = 2 = 0 Sys	below tem is u	No. of s 1 st colur No. of C No. of F No. of J No. of j unstable	CE ign chang mn = 2 CE roots = RHP = 2 LHP = 3 $\omega p = 0$	es in
	System	ı is marg	inally stable.	(ii) $s^6 + 2s^5 + \frac{1}{6}$	$+2s^4+0$	$)s^{3}-s^{2}$	- 2s - 2 =	= 0	
	. 1 0			s ⁶	1 2(1)	2	-1 -2(-1)	-2	
(11) S ⁻	+1 = 0			s^4	$\frac{2(1)}{2(1)}$	+0	-2(-1) -2(-1)		
S =	= ± 1 j =	±jωn		s^3	2(1) 0(4)	0	0	0	
ω _n	= 1 rad/	' sec		s^2	0(ε)	-1	0	0	
Os	scillating	frequer	ncy $\omega_n = 1 \text{ rad/sec}$	s^1 $-s^0$	4/ε -1				
					Ι				

ACE Engineering Publications	14	Control Systems
$AE = s4 - 1 = 0$ $\frac{dAE}{ds} = 4s3 + 0 = 0$ AE		$\Rightarrow s = \pm j4$ $\omega_n = 4 \text{ rad/sec}$ 04.
No. of CE roots = 6No. of AE roots = 4No. of sign changesNo. of sign changesin the 1 st column= 1below AE = 1No. of RHP = 1No. of RHP = 1No. of LHP = 3No. of j ω p = 2No. of j ω p = 2No. of LHP = 1	S	Sol: $CE = 1 + \frac{K(s+1)}{s^3 + as^2 + 2s + 1} = 0$ $s^3 + as^2 + (K+2)s + K + 1 = 0$ $s^3 + as^2 + (K+2)s + (K+1) = 0$
03. Sol: CE = s ³ + 20 s ² + 16s + 16 K = 0 $\begin{vmatrix} s^{3} \\ 20 \\ 20 \\ 16K \end{vmatrix}$ (i) For stability $\frac{20(16) - 16K}{20} = 0$ ⇒ 20 (16) - 16 K > 0 ⇒ K < 20 and 16 K > 0 ⇒ K > 0 Range of K for stability 0 < K < 20 (ii) For the system to oscillate with ω _n i must be marginally stable i.e., s ¹ row should be 0 s ² row should be AE \therefore A.E roots = ± jω _n \therefore s ¹ row ⇒ 20 (16) - 16 K =0	ERI/	$\overrightarrow{s^{3}} \qquad 1 \qquad K+2$ $s^{2} \qquad a \qquad K+1$ $s^{1} \qquad \frac{a(K+2)-(K+1)}{a} \qquad 0$ $s^{0} \qquad K+1$ Given, $\omega_{n} = 2$ $\Rightarrow s^{1} \operatorname{row} = 0$ $s^{2} \operatorname{row} \operatorname{is} A.E$ $a (K+2) - (K+1) = 0$ $a = \frac{K+1}{K+2}$ $AE = as^{2} + K + 1 = 0$ $= \frac{K+1}{K+2}s^{2} + K + 1 = 0$ $(k+1) \left(\frac{s^{2}}{k+2} + 1\right) = 0$ $s^{2} + k + 2 = 0$
$\Rightarrow \mathbf{K} - 20$ AE is $20s^2 + 16$ K = 0 $20s^2 + 16$ (20) = 0 ACE Engineering Publications Hyderabad • Delhi • Bhopal • Pune • Bhubaneswa	r • Lucknov	$\begin{split} s &= \pm j \sqrt{(k+2)} \\ \omega_n &= \sqrt{k+2} = 2 \\ \\ \text{w} \cdot \text{Patna} \cdot \text{Bengaluru} \cdot \text{Chennai} \cdot \text{Vijayawada} \cdot \text{Vizag} \cdot \text{Tirupati} \cdot \text{Kolkata} \cdot \text{Ahmedabad} \end{split}$

ACE Engineering Publications

k = 2 $a = \frac{k+1}{k+2} = \frac{3}{4} = 0.75$

05.

Sol: $s^3 + ks^2 + 9s + 18$

Given that system is marginally stable,

Hence

 s^{1} row = 0 $\frac{9K - 18}{K} = 0$ $9K = 18 \Rightarrow K = 2$ A.E is $9s^{2} + 18 = 0$ $Ks^{2} + 18 = 0$, $2s^{2} + 18 = 0$, $2s^{2} = -18$ $s = \pm j3$ ∴ $ω_{n} = 3$ rad/sec.

06. Ans: (d)

Sol: Given transfer function $G(s) = \frac{k}{(s^2 + 1)^2}$ Characteristic equation $1 - G(s) \cdot H(s) = 0$

 $1 - \frac{k}{(s^2 + 1)^2} = 0$

$$s^4 + 2s^2 + 1 - k = 0 \dots (1)$$

RH criteria

s^4	1	2	1-K
s ³	4	4	-
s^2	1	1-K	
s^1	4K		
s ^o	1-K		

$$AE = s^4 + 2s^2 + 1 - k$$

$$\frac{d}{ds}(AE) = 4s^3 + 4s$$

1-K > 0 no poles are on RHS plane and LHS plane.

All poles are on jo- axis

 $\therefore 0 < K < 1$ system marginally stable

07. Ans: (d)

Sol: Assertion: FALSE

Let the TF = s. "s" is the differentiator Impulse response $L^{-1}[TF] = L^{-1}[s] = \delta'(t)$ Lt $\delta'(t) = 0$

. It is BIBO stable

Reason: True x(t) = t sint



 $\lim_{t\to\infty} x(t) = \lim_{t\to\infty} t \text{ sint is unbounded}$

ACE Engineering Publications Hyderabad • Delhi • Bhopal • Pune • Bhubaneswar • Lucknow • Patna • Bengaluru • Chennai • Vijayawada • Vizag • Tirupati • Kolkata • Ahmedabad

Since

		16	Control Systems
08.	Ans: (a)		
Sol:	Assertion: TRUE		
	If feedback is not properly utilized the	e	
	closed loop system may become unstable.		
	Reason: True		
	Feedback changes the location of poles		
	Let $G(s) = \frac{-2}{s+1}$ $H(s) = 1$		
	Open loop pole $s = -1$ (stable)		
	-2		
	$CLTF = \frac{\overline{s+1}}{1 + \frac{-2}{s+1}} = \frac{-2}{s-1}$	= R //	
	Closed loop pole is at $s = 1$ (unstable)		AC
	:After applying the feedback no more	e	40
	system is open loop. It becomes closed loop	5	3
	system. Hence poles are affected.		
		ce 1	



Root Locus Diagram

01. Ans: (a) (c) $k > 4 \Rightarrow$ roots are complex **Sol:** $s_1 = -1 + i\sqrt{3}$ $0 < \xi < 1 \Rightarrow$ under damped $s_2 = -3 - i\sqrt{3}$ 03. Ans: (a) $G(s).H(s) = \frac{K}{(s+2)^3}$ Sol: Asymptotes meeting point is nothing but centroid $s_1 = -1 + j\sqrt{3}$ centroid $\sigma = \frac{\sum \text{poles} - \sum \text{zeros}}{p - z}$ G(s).H(s) = $\frac{K}{(-1+j\sqrt{3}+2)^3}$ $=\frac{-3-0}{3-0}=-1$ $=\frac{K}{\left(1+j\sqrt{3}\right)^3}$ centroid = (-1, 0)04. Ans: (b) $= -3 \tan^{-1}(\sqrt{3})$ **Sol:** break point = $\frac{dK}{ds} = 0$ $= -180^{\circ}$ It is odd multiples of 180° , Hence s₁ lies on $\frac{\mathrm{d}}{\mathrm{d}s} \big(\mathrm{G}_1(s) \cdot \mathrm{H}_1(s) \big) = 0$ Root locus $s_2 = -3 - j\sqrt{3}$ $\frac{\mathrm{d}}{\mathrm{d}s}[s(s+1)(s+2)] = 0$ G(s).H(s) = $\frac{K}{(-3 - j\sqrt{3} + 2)^3}$ $3s^2 + 6s + 2 = 0$ s = -0.422, -1.57 $=\frac{K}{\left(-1-i\sqrt{3}\right)^3}$ Since 199 But s = -1.57 do not lie on root locus $= -3 [180^{\circ} + 60^{\circ}] = -720^{\circ}$ So, s = -0.422 is valid break point. It is not odd multiples of 180° , Hence s₂ is Point of intersection wrt jo axis not lies on Root locus. $s^{3} + 3s^{2} + 2s + k = 0$ 02. Ans: (a) 2 Sol: Over damped - roots are real & unequal $\begin{vmatrix} s^2 \\ s^2 \\ s^1 \\ 0 \end{vmatrix} = \frac{3}{6-k}$ k $\Rightarrow 0 < k < 4$ 0 (b) k = 4 roots are real & equal \Rightarrow Critically damped $\xi = 1$ ACE Engineering Publications Hyderabad • Delhi • Bhopal • Pune • Bhubaneswar • Lucknow • Patna • Bengaluru • Chennai • Vijayawada • Vizag • Tirupati • Kolkata • Ahmedabad

ACE Engineering Publications

> As s¹ Row = 0 k = 6 $3s^2 + 6 = 0$ $s^2 = -2$ $s = \pm i\sqrt{2}$

point of inter section: $s = \pm j\sqrt{2}$

05. Ans: (b)

Sol:

break
point
$$k = 6$$

 $k = 0.384$
 -2 -1
 $s = 0.423$
 k

 $\overline{s(s+1)(s+2)}$

substitute s = -0.423 and apply the magnitude criteria.

$$\frac{K}{(-0.423)(-0.423+1)(-0.423+2)} = 1$$

K = 0.354

when the roots are complex conjugate then the system response is under damped. From K > 0.384 to K < 6 roots are complex conjugate then system to be under damped the values of k is 0.384 < K < 6.

06. Ans: (c)

Sol: If the roots are lies on the real axis then system exhibits the non-oscillatory response. from $K \ge 0$ to $K \le 0.384$ roots lies on the real axis. Hence for $0 \le K \le 0.384$ system exhibits the non-oscillatory response.

Control Systems 07. Ans: (a) Sol: 0 -3 $\frac{d}{ds}[G(s).H(s)] = \frac{d}{ds} \left| \frac{k(s+3)}{s(s+2)} \right|$ $s^2 + 6s + 6 = 0$ break points - 1.27, - 4.73 radius = $\frac{4.73 - 1.27}{2} = 1.73$ center = (-3, 0)08. Ans: (c) **Sol:** $G(s).H(s) = \frac{K(s+3)}{s(s+2)}$ $|\mathbf{k}|_{s=-4} = \frac{(-4)(-4+2)}{(-4+3)}$ $=\left|\frac{(-4)(-2)}{(-1)}\right|=8$ 09. Ans: (a) **Sol:** $s^2-4s+8=0 \Rightarrow s=2\pm 2j$ are two zeroes $s^{2}+4s+8=0 \Rightarrow s=-2\pm 2i$ are two poles $\phi_{A} = 180 - \angle GH|_{S^{-3+2+1}}$ GH = $\frac{k[s - (2 + 2j)[s - (2 - 2j)]]}{[s - (-2 + 2j)[s - (-2 - 2j)]]}$ $\angle GH \Big|_{s=2+2j} = \frac{\angle k \angle 4j}{\angle 4 \angle 4 + 4j}$

$$= 90^{\circ} - 45^{\circ} = 45^{\circ}$$

$$\phi_{A} = 180^{\circ} - 45^{\circ} = \pm 135^{\circ}$$

ACE Engineering Publications Hyderabad • Delhi • Bhopal • Pune • Bhubaneswar • Lucknow • Patna • Bengaluru • Chennai • Vijayawada • Vizag • Tirupati • Kolkata • Ahmedabad

Engineering Publications	19	Postal Coaching Solutions
10. Ans: (b) Sol: $s^2-4s+8 = 0 \implies s = 2\pm 2i$ are two zeroes		11. Ans: (d) Sol: Poles $s = -2, -5$; Zero $s = -10$
$s^{2}+4s+8 = 0 \Rightarrow s = -2\pm 2j$ are two poles $\phi_{d} = 180^{\circ} + \angle GH _{s=-2\pm 2j}$		jω
$\angle GH _{S=-2\pm 2j} = \angle \frac{k[s - (2 + 2j)][s - (2 - 2j)]}{[s - (-2 + 2j)][s - (-2 - 2j)]} _{S=-2\pm 2j}$ $= \frac{\angle k(-4)(-4 + 4j)}{\angle 4j}$		-10 -5 -2 σ
$= 180^{\circ} + 180^{\circ} - 45^{\circ} - 90^{\circ} = 225^{\circ}$ $\phi_{4} = 180^{\circ} + 225^{\circ} = 405^{\circ}$		\therefore Breakaway point exist between -2 and -5
$\therefore \phi_d = \pm 45^\circ$	EBI	12. Sol: Refer Pg No: 77, Vol-1 Ex: 8
Ctrining of the second se	ce 1	

Chapter 6

Frequency Response Analysis



ACC	Engineering Publications
-----	--------------------------

 $A = \frac{1}{\sqrt{\omega^2 + 4}} = \frac{1}{\sqrt{4 + 4}} = \frac{1}{\sqrt{8}} = \frac{1}{2\sqrt{2}}$ $\phi = -\tan^{-1}\omega/2$ $= -\tan^{-1}2/2$ $\Rightarrow \phi = -\tan^{-1}(1) = -45^{\circ}$ output $= \frac{1}{2\sqrt{2}}\cos(2t + 20^{\circ} - 45^{\circ})$ $= \frac{1}{2\sqrt{2}}\cos(2t - 25^{\circ})$

07. Ans: (c) Sol: Initial slope = -40 dB/dec Two integral terms $\left(\frac{1}{s^2}\right)$

 \therefore Part of TF = G(s)H(s) = $\frac{K}{s^2}$

at $\omega = 0.1$ Change in slope = -20 - (-40)= 20°

Part of TF = G(s) H(s) =
$$\frac{K\left(1 + \frac{s}{0.1}\right)}{s^2}$$

At $\omega = 10$ slope changed to -60 dB/dec Change in slope = -60-(-20)

= -40 dB/dec

$$\text{TF} (G(s)H(s)) = \frac{K\left(1 + \frac{s}{0.1}\right)}{s^2 \left(\frac{s}{10} + 1\right)^2}$$

 $20 \log K - 2 (20 \log 0.1) = 20 dB$ $20 \log K = 20-40$ $20 \log K = -20$

$$K = 0.1$$

$$G(s)H(s) = \frac{\left(0.1\right)\left(1 + \frac{s}{0.1}\right)}{s^2\left(1 + \frac{s}{10}\right)^2}$$

$$= \frac{\left(0.1\right) \times 10^2 (s + 0.1)}{\left(0.1\right)s^2 (s + 10)^2}$$

$$G(s)H(s) = \frac{100(s + 0.1)}{s^2 (s + 10)^2}$$
08. Ans: (b) Sol: $G(s)H(s) = \frac{Ks}{\left(1 + \frac{s}{2}\right)\left(1 + \frac{s}{10}\right)}$

21

 $12 = 20 \log K + 20 \log 0.5$ $12 = 20 \log K + (-6)$ $20 \log K = 18 \text{ dB} = 20 \log 2^3$ K = 8 $G(s)H(s) = \frac{8s \times 2 \times 10}{(2+s)(10+s)}$ $G(s)H(s) = \frac{160s}{100}$

G(s)H(s) =
$$\frac{1003}{(2+s)(10+s)}$$

Ans: (b)

09.

Sol:

$$x_1 \quad x_2$$

 y_1
 y_1
 $y_2=20 \text{ dB}$
 $y_2=20 \text{ dB}$
 y_1
 $y_2=20 \text{ dB}$
 $y_2=20 \text{ dB}$
 y_1
 $y_2=20 \text{ dB}$
 $y_2=20 \text{ dB}$
 $y_2=20 \text{ dB}$
 y_1
 $y_2=20 \text{ dB}$
 $y_2=20 \text{ dB}$

$$G(s)H(s) = \frac{K\left(1 + \frac{s}{10}\right)^2 \left(1 + \frac{s}{20}\right)}{(1+s)^2}$$

ACE Engincering Publications Hyderabad • Delhi • Bhopal • Pune • Bhubaneswar • Lucknow • Patna • Bengaluru • Chennai • Vijayawada • Vizag • Tirupati • Kolkata • Ahmedabad

d • Deini • Bnopai • Pune • Bnubaneswar • Lucknow • Patha • Bengaluru • (

10. Ans: (d)

20

-20

Sol:

Control Systems 22 $\frac{y_2 - y_1}{x_2 - x_1} = -40 \, \text{dB} \, / \, \text{dec}$ $G(s)H(s) = \frac{K\left(1 + \frac{s}{0.1}\right)}{s^2\left(1 + \frac{s}{10}\right)}$ $\frac{20 - y_1}{\log 10 - \log 1} = -40$ $20\log K - 2 (20 \log 0.1) = 20$ $y_1 = +60 \, dB \Big|_{m < 1}$ $20 \log K = 20 - 40$ $\Rightarrow 20 \log K = 60$ K = 0.1 $G(s)H(s) = \frac{0.1 \times \frac{1}{0.1} (0.1 + s)}{s^2 \frac{1}{10} (10 + s)}$ $K = 10^{3}$ $G(s)H(s) = \frac{10^{3}(s+10)^{2}(s+20)}{10^{2} \times 20 \times (s+1)^{2}}$ $=\frac{10(0.1+s)}{s^2(10+s)}$ $=\frac{(s+10)^2(s+20)}{2(s+1)^2}$ 11. 100 200 |G(s)H(s)|Sol: $\overline{s(s+2)}$ $s\left(1+\frac{s}{2}\right)$ 40 dB/dec $x = -KT \implies -(100) \times \frac{1}{2} = x = -50$ 20 dB/dec • ω ω_1 ω_2 12. Ans: (c) 40 dB/dec Sol: For stability (-1, j0) should not be enclosed 199 by the polar plot. ω_1 calculation: For stability 1 > 0.01 K

0 - 20 $\log 1 - \log \omega_1$ $\Rightarrow K < 100$ = -20 dB/dec $\omega_1 = 0.1$ 13. ω₂ calculation: Sol: GM = -40 dB-20 - 0 $\log \omega_2 - \log 1$ $20\log\frac{1}{a} = -40 \implies a = 10^2$ = -20 dB/decPOI = 100 $\omega_2 = 10$

Engineering Publications	23	Postal Coaching Solutions
14.		N = -2, P = 0 (Given)
Sol: (i) $GM = \frac{1}{2} = +10 = 20 dB$		\therefore N = P - Z
0.1		-2 = 0 - Z
$PM = 180^{\circ} - 140^{\circ} = 40^{\circ}$		Z = 2
(*) $\mathbf{D}\mathbf{M} = 190, 1500 = 200$		Two closed loop poles are lies on RH of
(II) $PM = 180 - 150^2 - 30^2$		s-plane and hence the closed loop system is
$GM = \frac{1}{0} = \infty$ $POI = 0$		unstable.
(iii) ω_{PC} does not exist	1	17. Ans: (c)
$GM = \frac{1}{2} = \infty PM = 180^{\circ} + 0^{\circ} = 180^{\circ}$	8	Sol:
0		GH plane
(iv) ω_{gc} not exist		$\omega = \infty$
$\omega_{\rm pc} = \infty$	ERII	
$GM = \frac{1}{0} = \infty$		
$PM = \infty$		$\omega = 0$
(a) $CM = \frac{1}{2}$		$\frac{K_c}{K_c} = 0.4$ When $K = 1$
(v) $GM - \frac{1}{0.5} = 2$		K With K I
PM = 180 - 90		Now, K double, $\frac{K_c}{K} = 0.4$
$=90^{0}$		$K = 0.4 \cdot 2 = 0.8$
		$K_c = 0.4 \times 2 = 0.8$
15. Ans: (d)		GH plane
Sol: For stability $(-1, j0)$ should not be enclose	ed	$\omega = \infty$
by the polar plot. In figures (1) \approx (2) (-1, just is not enclosed		(-1,0)
: Systems represented by $(1) & (2)$ at	re	
stable.		0-0
		Even though the value of K is double, the
16 Ans. (b)		system is stable (negative real axis
Sol: Open loop system is stable since the open	'n	magnitude is less than one)
loop poles are lies in the left half of s-plar	ne	Oscillations depends on ' ξ'
$\therefore P = 0.$		Ex as K is increased Eraduced then
From the plot $N = -2$.		$\zeta \sim \frac{1}{\sqrt{K}}$ as is increased ζ reduced, then
No. of encirclements $N = P - Z$		more oscillations.
ACE Engineering Publications Hyderabad • Delhi • Bhopal • Pune • Bhubanesw	ar • Lucknov	w • Patna • Bengaluru • Chennai • Vijayawada • Vizag • Tirupati • Kolkata • Ahmedabad

ACE Engineering Publications

Control Systems

18. Ans: (a)

Sol: Given system $G(s) = \frac{10(s-12)}{s(s+2)(s+3)}$

It is a non minimum phase system since s = 12 is a zero on the right half of s-plane

19.

Sol: Given that $G(s)H(s) = \frac{10(s+3)}{s(s-1)}$ s-plane Nyquist Contour $\omega = +\infty$ $\omega = 0^+$ C_1 C_2 $\varepsilon \to 0$ $R \to \infty$



• The Nyquist contour in the s-plane enclosing the entire right half of S-plane is shown figure.

The Nyquist Contour has four sections C_1 , C_2 , C_3 and C_4 . These sections are mapped into G(s)H(s) plane

Mapping of section C₁: It is the positive imaginary axis, therefore sub $s = j\omega$, $(0 \le \omega \le \infty)$ in the TF G(s) H(s), which gives the polar plot

$$G(s)H(s) = \frac{10(s+3)}{s(s-1)}$$

Let $s = j\omega$

$$G(j\omega)H(j\omega) = \frac{10(j\omega+3)}{j\omega(j\omega-1)}$$
$$G(j\omega)H(j\omega) = \frac{10\sqrt{\omega^2+9}}{\omega\sqrt{\omega^2+1}} \angle \{\tan^{-1}\left(\frac{\omega}{3}\right) - [90^0 + 180^0 - \tan^{-1}(\omega)]\}$$

At
$$\omega = 0 \implies \infty \angle -270^{\circ}$$

At $\omega = \omega_{pc} = \sqrt{3} \implies 10 \angle -180^{\circ}$
At $\omega = \infty \implies 0 \angle -90^{\circ}$

point of intersection of the Nyquist plot with respect to negative real axis is calculated below

ArgG(j
$$\omega$$
)H(j ω) = arg $\frac{10(j\omega+3)}{j\omega(j\omega-1)}$
= -180[°] will give the ' ω_{nc}

Magnitude of $G(j\omega)H(j\omega)$ gives the point of intersection

$$\angle \tan^{-1}(\frac{\omega}{3}) - [90^{\circ} + 180^{\circ} - \tan^{-1}(\omega))$$

$$=-180^{\circ}|\omega=\omega_{\rm pc}$$

$$\angle \tan^{-1}(\frac{\omega_{\rm pc}}{3}) - [90^0 + 180^0 - \tan^{-1}(\omega_{\rm pc})) = -180^0$$

$$\tan^{-1}(\frac{\omega_{\rm pc}}{3}) + \tan^{-1}(\omega_{\rm pc}) = 90^{\circ}$$

Taking "tan" both the sides

$$\frac{\frac{\omega_{pc}}{3} + \omega_{pc}}{1 - \frac{(\omega_{pc})^2}{3}} = \tan 90^\circ = \infty$$
$$1 - \frac{(\omega_{pc})^2}{3} = 0$$
$$\omega_{pc} = \sqrt{3} \text{ rad/sec}$$

ACE Engineering Publications Hyde



imaginary axis, therefore sub $s = j\omega$,

 $(-\infty \le \omega \le 0)$ in the TF G(s)H(s), which gives the mirror image of the polar plot and is symmetrical with respect to the real axis, The plot is shown in figure.



Mapping of section C₄: It is the radius ' ε ' semicircle, therefore sub s = $\lim_{\epsilon \to 0} \varepsilon e^{j\theta}$

 $(-90^{\circ} \le \theta \le 90^{\circ})$ in the TF G(s)H(s), which gives clockwise infinite radius semicircle in G(s)H(s) plane.

The plot is shown below

Hyderabad • Delhi • Bhopal • Pune • Bhubaneswar • Lucknow • Patna • Bengaluru • Chennai • Vijayawada • Vizag • Tirupati • Kolkata • Ahmedabad

$$G(\epsilon e^{j\theta})H(\epsilon e^{j\theta}) = \frac{10(\epsilon e^{j\theta} + 3)}{\epsilon e^{j\theta}(\epsilon e^{j\theta} - 1)}$$

$$G(\epsilon e^{j\theta})H(\epsilon e^{j\theta}) \approx \frac{10 \times 3}{-\epsilon e^{j\theta}} = \infty \angle 180^{0} - \theta$$
When, $\theta = -90^{0} \quad \infty \angle 270^{0}$
 $\theta = -40^{0} \quad \infty \angle 220^{0}$
 $\theta = 0^{0} \quad \infty \angle 0^{0}$
 $\theta = 40^{0} \quad \infty \angle 140^{0}$
 $\theta = 90^{0} \quad \infty \angle 90^{0}$

It is clear that the plot is clockwise ' ∞ ' radius semicircle centred at the origin

	-	
Engineering Publications	26	Control Systems
$\int_{-10}^{100} \frac{1}{G(s)H(s) \text{ plane}}{G(s)H(s) \text{ plane}}$ Combining all the above four sections, the Nyquist plot of $G(s)H(s) = \frac{10(s+3)}{s(s-1)}$ is shown in figure below From the plot N=1 Given that P=1 N=P-Z Z = P - N = 1 - 1 = 0, therefore system is stable	e S	i.e., there is one pole at origin (or) one integral term. portion of transfer function $G(s) = \frac{K}{s}$ At $\omega = 2$ rad/sec, slope is changed to 0dB/ octave. \therefore change in slope = present slope – previous slope = 0 - (-6) = 6 dB/octave \therefore There is a real zero at corner frequency $\omega_1 = 2$. $(1 + sT_1) = (1 + \frac{s}{\omega_1}) = (1 + \frac{s}{Z})$ At $\omega = 10$ rad/sec, slope is changed to -6dB/octave. \therefore change in slope = $-6 - 0$ = -6 dB/octave. \therefore There is a real pole at corner frequency $\omega_2 = 2$. $\frac{1}{1 + sT_2} = \frac{1}{(1 + \frac{s}{\omega_2})} = \frac{1}{(1 + \frac{s}{10})}$
Sol: The given bode plot is shown below. -6 dB/octave -6 dB/octave Gain in dB 1 2 10 50100 W(log scale)	C	At $\omega = 50$ rad/sec, slope is changed to -12dB/octave. \therefore change in slope = -12 - (-6) = -6 dB/octave
-20 dB		$\therefore \text{ There is a real pole at corner frequency} \\ \omega_3 = 50 \text{ rad/sec.} \\ \frac{1}{1+ST_2} = \frac{1}{(1-S_1)} = \frac{1}{(1-S_2)}$
Initial slope = -6 db/octave .		$\left(1+\frac{5}{\omega_3}\right) \left(1+\frac{5}{50}\right)$
ACE Engineering Publications Hyderabad • Delhi • Bhopal • Pune • Bhubaneswar	r • Luckno	w • Patna • Bengaluru • Chennai • Vijayawada • Vizag • Tirupati • Kolkata • Ahmedabad

Engineering Publications	27	Postal Coaching Solutions
At $\omega = 100$ rad/sec, the slope changed to -6 dB/octave. \therefore change in slope = $-6 - (-12) = 6$ dB/octave. \therefore There is a real zero at corner frequency $\omega_4 = 100$ rad/sec. $\therefore (1 + sT_4) = \left(1 + \frac{s}{\omega_4}\right) = \left(1 + \frac{s}{100}\right)$ \therefore Transfer function $= \frac{K\left(1 + \frac{s}{2}\right)\left(1 + \frac{s}{100}\right)}{s\left(1 + \frac{s}{50}\right)\left(1 + \frac{s}{10}\right)}$ $= \frac{K(s+2)(s+100)}{s(s+50)(s+10)} \frac{\frac{1}{2} \cdot \frac{1}{100}}{\frac{1}{50} \cdot \frac{1}{10}}$ $= \frac{2.5K(s+2)(s+100)}{s(s+10)(s+50)}$	5 ER//	In the given bode plot, at $\omega = 1 \operatorname{rad/sec}$, Magnitude = -20dB. $-20 \operatorname{dB} = 20 \log K - 20 \log \omega + 20 \sqrt{1 + \left(\frac{\omega}{2}\right)^2} + 20 \sqrt{1 + \left(\frac{\omega}{100}\right)^2}$ $-20 \log \sqrt{1 + \left(\frac{\omega}{50}\right)^2} - 20 \log \sqrt{1 + \left(\frac{\omega}{10}\right)^2}$ At $\omega = 1 \operatorname{rad/sec}$, $-20 = 20 \log K - 20 \log \omega = 1 \operatorname{rad/sec}$ [: Remaining values eliminated] $-20 = 20 \log K$ $\Rightarrow K = 0.1$: Transfer function $\frac{C(s)}{R(s)} = \frac{0.25(s+2)(s+100)}{s(s+10)(s+50)}$
Sin	ce 1	1995 E

Chapter

Controllers & Compensators

01. Ans: (a) $\frac{R_1 + R_2}{R_2} = 1.764$ **Sol:** $G_{C}(s) = (-1)\left(-\frac{Z_{2}}{Z_{*}}\right)$ $aT = R_1 C$ $R_1 = \frac{aT}{C} = \frac{0.3}{C} = (0.3)(10^6)$ $= (-1)(-1)\left(\frac{R_2 + \frac{1}{sC}}{R_1}\right)$ $= 300 \text{ k}\Omega$ G_c(s) = $\frac{(100 \times 10^3) + \frac{1}{s \times 10^{-6}}}{10^6}$ Bv $300 \text{ k} + \text{R}_2 - 1.76 \text{ R}_2 = 0$ $R_2 = \frac{300}{0.70} = 394.736$ $G_{c}(s) = \frac{1+0.1s}{s}$ $= 400 \text{ k}\Omega$ 02. Ans: (c) 04. Ans: (d) **Sol:** CE \Rightarrow 1+ G_c (s) G_p (s) = 0 Sol: PD controller improves transient stability $=1+\frac{1+0.1s}{s}\times\frac{1}{(s+1)(1+0.1s)}$ and PI controller improves steady state stability. PID controller combines the $= 1 + \frac{1 + 0.1s}{s(s+1)(1+0.1s)} = 0$ advantages of the above two controllers. 05. \Rightarrow s² + s+ 1 = 0 $\Rightarrow \omega_n = 1$, **Sol:** For $K_I = 0 \Rightarrow$ $e^{\left\lfloor \frac{-\xi\pi}{\sqrt{1-\xi^2}} \right\rfloor_{\xi=0.5}} = 0.163$ $\frac{C(s)}{R(s)} = \frac{(K_{P} + K_{D}s)}{s(s+1) + (K_{P} + K_{D}s)}$ $M_p = 16.3\%$ Since $=\frac{K_{P}+K_{D}s}{s^{2}+(1+K_{D})s+K_{D}}$ 03. Ans: (b) **Sol:** T.F = $\frac{k(1+0.3s)}{1+0.17s}$ $\omega_n = \sqrt{K_p}$ $2\xi\omega_{\rm p} = 1 + K_{\rm D}$ $T = 0.17, aT = 0.3 \implies a = \frac{0.3}{0.17}$ $\Rightarrow 2(0.9) \sqrt{K_{\rm p}} = 1 + K_{\rm p}$ $\Rightarrow 1.8 \sqrt{K_{p}} = 1 + K_{p}$(1) $C = 1 \mu F$ $T = \frac{R_1 R_2}{R_1 + R_2} C$, $a = \frac{R_1 + R_2}{R_2}$ Dominant time constant $\frac{1}{\xi_{\infty}} = 1$ $\frac{R_1R_2}{R_1 + R_2} = \frac{0.17}{1 \times 10^{-6}} = 170000$ $\Rightarrow \omega_n = \frac{1}{0.9} = 1.111$ ACE Engineering Publications Hyderabad • Delhi • Bhopal • Pune • Bhubaneswar • Lucknow • Patna • Bengaluru • Chennai • Vijayawada • Vizag • Tirupati • Kolkata • Ahmedabad

Ragineering Publications	29	Postal Coaching Solutions
$K_{\rm P} = \omega_{\rm p}^2 = 1.11^2$		
= 1.234		
From eq. (1),		
$\Rightarrow 1.8 \times \frac{1}{0.9} = 1 + K_{\rm D}$		
$\Rightarrow K_D = 1$		





) State Space Analysis

01. Ans: (a)
Sol: TF =
$$\frac{1}{s^2 + 5s + 6}$$

= $\frac{1}{(s+2)(s+3)}$
= $\frac{1}{s+2} + \frac{-1}{s+3}$
 $\therefore A = \begin{bmatrix} -2 & 0 \\ 0 & -3 \end{bmatrix} \quad B = \begin{bmatrix} 1 \\ -1 \end{bmatrix}$
C = $\begin{bmatrix} 1 & 1 \end{bmatrix}$

02. Ans: (c)

Sol: Given problem is Controllable canonical form.

(or)

$$TF = C[sI - A]^{-1}B + D$$

= [6 5 1] $\begin{bmatrix} s & 1 & 0 \\ 0 & s & 1 \\ -5 & -3 & s+6 \end{bmatrix}^{-1} \begin{bmatrix} 0 \\ 0 \\ 3 \end{bmatrix}$
= $\frac{3s^2 + 15s + 18}{s^3 + 6s^2 + 3s + 5}$

03. Ans: (d)

Sol: $\frac{d^2y}{dt^2} + \frac{3dy}{dt} + 2y = u(t)$ 2nd order system hence two state variables are chosen Let x_1 (t), x_2 (t) are the state variables CCF - SSR Let $x_1(t) = y(t) \dots (1)$

Differentiating (1) $\dot{x}_1(t) = \dot{y}(t) = x_2(t)$ (3) $\dot{x}_{2}(t) = \ddot{y}(t) = u(t) - 3y^{1}(t) - 2y(t)$ $= u(t) - 3x_2(t) - 2x_1(t) \dots (4)$ $\begin{bmatrix} \dot{\mathbf{x}}_1 \\ \dot{\mathbf{x}}_2 \end{bmatrix} = \begin{bmatrix} 0 & 1 \\ -2 & -3 \end{bmatrix} \begin{bmatrix} \mathbf{x}_1 \\ \mathbf{x}_2 \end{bmatrix} + \begin{bmatrix} 0 \\ 1 \end{bmatrix} \mathbf{u}(\mathbf{t})$

From equation 1. The output equation in matrix form

$$\mathbf{y}(\mathbf{t}) = \begin{bmatrix} 1 & 0 \end{bmatrix} \begin{bmatrix} \mathbf{X}_1 \\ \mathbf{X}_2 \end{bmatrix}, \mathbf{D} = \mathbf{0}$$

04. Ans: (b)
Sol: OCF - SSR
$$\begin{bmatrix} \dot{x}_1 \\ \dot{x}_2 \end{bmatrix} = \begin{bmatrix} 0 & -2 \\ 1 & -3 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} + \begin{bmatrix} 1 \\ 0 \end{bmatrix} u(t)$$
$$y(t) = \begin{bmatrix} 0 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \end{bmatrix}$$

05. Ans: (c) Sol: Normal form - SSR

S

Since

$$\Gamma F = \frac{Y(s)}{G(s)} = \frac{1}{s^2 + 3s + 2} = \frac{1}{(s+1)(s+2)}$$

 \Rightarrow Diagonal canonical form

The eigen values are distinct i.e., -1 & -2.

: Corresponding normal form is called as diagonal canonical form

DCF – SSR

$$\frac{Y(s)}{U(s)} = \frac{b_1}{s+1} + \frac{b_2}{s+2}$$

b_1 = 1, b_2 = -1

ACE Engineering Publications

		31	Postal Coaching Solutions
	$Y(s) = \frac{b_1}{\underbrace{s+1}_{x_1}}U(s) + \frac{b_2}{\underbrace{s+2}_{x_2}}U(s)$		$\mathbf{C} = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 0 & \mathbf{R}_2 \end{bmatrix}$
	Let $Y(s) = X_1(s) + X_2(s)$ Where $y(t) = y_1(t) + y_2(t)$ (1)		07. Ans: (a)
	Where X (c) = $\frac{b_1}{U(c)}$ (1)	, ,	Sol: $T.F = C[sI-A]^{-1}B + D$
	where $X_1(s) = \frac{1}{s+1} U(s)$		$=\begin{bmatrix} 1 & 0 \end{bmatrix} s + 4 & 1 \end{bmatrix}^{-1} \begin{bmatrix} 1 \end{bmatrix}$
	Take Laplace Inverse $X_1(s) + X_1(s) = b_1 O(s)$		$\begin{bmatrix} 1 & 0 \\ 3 & s+1 \end{bmatrix} \begin{bmatrix} 1 \end{bmatrix}$
	$\dot{x}_1 + x_1 = b_1 u(t)$ (2)		$= \begin{bmatrix} 1 & 0 \end{bmatrix} \frac{1}{s^2 + 5s + 1} \begin{bmatrix} s+1 & -1 \\ -3 & s+4 \end{bmatrix} \begin{bmatrix} 1 \\ 1 \end{bmatrix}$
	$X_2(s) = \frac{b_2}{s+2}U(s)$		$= \frac{1}{a^2 + 5a + 1} \begin{bmatrix} 1 & 0 \end{bmatrix}_{1 \times 2} \begin{bmatrix} s+1 & -1 \\ -3 & s+4 \end{bmatrix} \begin{bmatrix} 1 \\ -1 \end{bmatrix}$
	$s X_2(s) + 2 X_2(s) = b_2 U(s)$ Laplace Inverse	ERII	$VG = \begin{bmatrix} -3 & 3+4 \end{bmatrix}_{2\times 2} \begin{bmatrix} 1 \end{bmatrix}$
	$\dot{\mathbf{x}}_2 + 2\mathbf{x}_2 = \mathbf{b}_2 \mathbf{u}(\mathbf{t})$		$= \frac{1}{\mathbf{s}^2 + 5\mathbf{s} + 1} \begin{bmatrix} \mathbf{s} + 1 & -1 \end{bmatrix}_{\mathbf{l} \times 2} \begin{bmatrix} 1 \\ 1 \end{bmatrix}_{2 \times \mathbf{l}}$
	$\begin{bmatrix} \dot{\mathbf{x}}_1 \\ \dot{\mathbf{x}}_2 \end{bmatrix} = \begin{bmatrix} -1 & 0 \\ 0 & -2 \end{bmatrix} \begin{bmatrix} \mathbf{x}_1 \\ \mathbf{x}_2 \end{bmatrix} + \begin{bmatrix} 1 \\ -1 \end{bmatrix} \mathbf{u}(\mathbf{t})$		$=\frac{1}{s^2+5s+1}[s+1-1]$
	From (1) output equation.		$=$ $\frac{s}{s}$
	$\mathbf{y}(\mathbf{t}) = \begin{bmatrix} 1 & 1 \end{bmatrix} \begin{vmatrix} \mathbf{x}_1 \\ \mathbf{x}_2 \end{vmatrix}$		$s^2 + 5s + 1$
			08. Ans: (c)
06.	Ans: (c)		Sol: State transition matrix $\phi(t) = L^{-1}[(sI - A)^{-1}]$
Sol:	$R_1 \qquad L_1 \qquad i_2(t) \qquad Sin$	ce 1	$\begin{bmatrix} 995\\ sI - A \end{bmatrix} = \begin{bmatrix} s+3 & -1 \end{bmatrix}$
			$\begin{bmatrix} 0 & s+2 \end{bmatrix}$
Vi	$ = V_c = O/P_1 $	2	$[sI - A]^{-1} = \frac{1}{(s+2)(s+3)} \begin{bmatrix} s+2 & 1\\ 0 & s+3 \end{bmatrix}$
	$O/P_1 \Rightarrow y_1 = V_c$		$\begin{bmatrix} \frac{1}{s+3} & \frac{1}{(s+2)(s+3)} \end{bmatrix}$
	$O/P_2 \Rightarrow y_2 = R_2 i_2$		$= \begin{bmatrix} 1 & 1 & 0 & 0 \\ 0 & \frac{1}{s+2} \end{bmatrix}$
	$\mathbf{y} = \begin{bmatrix} \mathbf{y}_1 \\ \mathbf{y}_2 \end{bmatrix} = \begin{bmatrix} 1 & 0 & 0 \\ 0 & \mathbf{R}_2 \end{bmatrix} \begin{bmatrix} \mathbf{V}_c \\ \mathbf{i}_1 \\ \mathbf{i}_2 \end{bmatrix}$		$L^{-1}[[sI - A]^{-1}] = \begin{bmatrix} e^{-3t} & e^{-2t} - e^{-3t} \\ 0 & e^{-2t} \end{bmatrix}$
	y = C X		
ACE E	ngineering Publications Hyderabad • Delhi • Bhopal • Pune • Bhubanesway	r • Luckno	w • Patna • Bengaluru • Chennai • Vijayawada • Vizag • Tirupati • Kolkata • Ahmedabad

		32	Control Systems
09. Sol:	Ans: (b) Controllability $[M] = \begin{bmatrix} B & AB & A^2B & A^{n-1}B \end{bmatrix}$		$\therefore \mathbf{A} = \begin{bmatrix} -\mathbf{a}_1 & -\mathbf{a}_2 & -\mathbf{a}_3 \\ 1 & 0 & 0 \\ 0 & 1 & 0 \end{bmatrix}$
	$AB = \begin{bmatrix} 0 & 1 \\ -2 & -3 \end{bmatrix} \begin{bmatrix} 0 \\ 1 \end{bmatrix} = \begin{bmatrix} 1 \\ -3 \end{bmatrix}$ $M = \begin{bmatrix} 0 & 1 \\ 1 & -3 \end{bmatrix}$		12. Sol: The given state space equations: $\dot{X} = X_2$
	$ \mathbf{M} = -1 \neq 0$ (Controllable)		$\dot{\mathbf{X}}_2 = \mathbf{X}_3 - \mathbf{u}_1$
	Observability		$\dot{X}_3 = -2X_2 - 3X_3 + u_2$
	$[N] = [C^T A^T C^T \dots (A^T)^{n-1} C^T]$		and output equations are :
	$\mathbf{A}^{\mathrm{T}}\mathbf{C}^{\mathrm{T}} = \begin{bmatrix} 0 & -2 \\ 1 & -3 \end{bmatrix} \begin{bmatrix} 1 \\ 1 \end{bmatrix} = \begin{bmatrix} -2 \\ -2 \end{bmatrix}$	ERI	$Y_1 = X_1 + 3X_2 + 2u_1$ $Y_2 = X_2$
	$\mathbf{N} = \begin{bmatrix} 1 & -2 \\ 1 & -2 \end{bmatrix}$		
10.	N = 0 (Not observable) Ans: (c)		$\begin{array}{c} -2 \\ \dot{X}_{3} \\ 1/S \\ -3 \\ -3 \\ -1 \\ \end{array}$
Sol:	According to Gilberts test the system i controllable and observable.	S	1 u_2 1 u_1
11.	Ans: (c) Sin	ce 1	The given state space equations in matrix
Sol:	$\frac{Y(s)}{U(s)} = \frac{b_1 s^2 + b_2 s + b_3}{s^3 + a_1 s^2 + a_2 s + a_3}$	Ċ	$\begin{bmatrix} \dot{\mathbf{X}}_{1} \\ \dot{\mathbf{X}}_{2} \\ \dot{\mathbf{X}}_{3} \end{bmatrix} = \begin{bmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 0 & -2 & -3 \end{bmatrix}_{3\times 3} \begin{bmatrix} \mathbf{X}_{1} \\ \mathbf{X}_{2} \\ \mathbf{X}_{3} \end{bmatrix}_{3\times 1} + \begin{bmatrix} 0 & 0 \\ -1 & 0 \\ 0 & 1 \end{bmatrix}_{3\times 2} \begin{bmatrix} \mathbf{u}_{1} \\ \mathbf{u}_{2} \end{bmatrix}_{2\times 1}$
	at node \dot{x}_1		$\begin{bmatrix} Y_1 \end{bmatrix} = \begin{bmatrix} 1 & 3 & 0 \end{bmatrix} \begin{bmatrix} X_1 \\ X_2 \end{bmatrix} + \begin{bmatrix} 2 & 0 \end{bmatrix} \begin{bmatrix} u_1 \end{bmatrix}$
	$\dot{x}_1 = -a_1 x_1 - a_2 x_2 - a_3 x_3$		$\begin{bmatrix} \mathbf{Y}_2 \end{bmatrix} \begin{bmatrix} 0 & 1 & 0 \end{bmatrix}_{2\times 3} \begin{bmatrix} \mathbf{X}_2 \\ \mathbf{X}_3 \end{bmatrix}_{3\times 1} \begin{bmatrix} 0 & 0 \end{bmatrix}_{2\times 2} \begin{bmatrix} \mathbf{u}_2 \end{bmatrix}_{2\times 1}$
	at $\dot{x}_2 = x_1 \& \dot{x}_3 = x_2$		Where A: State matrix
	$\begin{bmatrix} \dot{\mathbf{x}}_1 \\ \dot{\mathbf{x}} \end{bmatrix} = \begin{bmatrix} -\mathbf{a}_1 & -\mathbf{a}_2 & -\mathbf{a}_3 \\ 1 & 0 & 0 \end{bmatrix} = \begin{bmatrix} \mathbf{x}_1 \\ \mathbf{x} \end{bmatrix}$		B: Input matrix
	$ \begin{vmatrix} x_2 \\ \dot{x}_3 \end{vmatrix} = \begin{vmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \end{vmatrix} = \begin{vmatrix} x_2 \\ x_3 \end{vmatrix} $		C: Output matrix
			D: Transition matrix
ACE I	Engineering Publications Hyderabad • Delhi • Bhopal • Pune • Bhubaneswa	r • Luckno	ow • Patna • Bengaluru • Chennai • Vijayawada • Vizag • Tirupati • Kolkata • Ahmedabad

Engineering Publications	33	Postal Coaching Solutions
Characteristic equation		
$ \mathbf{s}\mathbf{I} - \mathbf{A} = 0$		
$\begin{bmatrix} s & 0 & 0 \\ 0 & s & 0 \\ 0 & 0 & s \end{bmatrix} - \begin{bmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 0 & -2 & -3 \end{bmatrix}$		
$\Rightarrow \begin{vmatrix} S & -1 & 0 \\ 0 & S & -1 = 0 \\ 0 & 2 & S+3 \end{vmatrix}$		
$\Rightarrow s[s(s+3)+2]+1(0) = 0$		
$\Rightarrow s(s^2 + 3s + 2) = 0$		
$\Rightarrow s(s+1)(s+2) = 0$	ER <i>li</i>	NGA
The roots are 0, -1, -2.		